

Vulcanized fiber discs

Lamex company offers vulcanized fiber discs of its own production line from ceramic, zirconia and alox materials.



In our portfolio you can find VSM AG fiber disc **Actirox** AF799 and AF890

Ceramic XF885, XF870 and XF733

Zirconia ZF713


Alox fiber discs KF708 and KF808



Fiber discs



AF890



Base Vulcanfiber 0,8 mm
Material Actirox
Grain size P 36
Surface Steel, stainless steel and alloy steel



Type	Dia. mm	Pcs	P120	P100	P80	P60	P50	P40	P36	P24	P16
4 Slotted	115	50							89011536		
	125	50							89012536		
	150	50							89015036		
	180	50							89018036		



AF799



Base Vulcanfiber 0,8 mm
Material Actirox
Grain size P 36
Surface Steel and stainless steel



Type	Dia. mm	Pcs	P120	P100	P80	P60	P50	P40	P36	P24	P16
4 Slotted	115	50							79911536		
	125	50							79912536		
	150	50							79915036		
	180	50							79918036		



XF885




Base Vulcanfiber 0,8 mm
Material Ceramic + TOP SIZE
Grain size P 20 – P 120
Surface Alloy steel, steel, stainless steel, aluminum and non-ferrous metals



Type	Dia. mm	Pcs	P120	P100	P80	P60	P50	P40	P36	P24	P20
4 Slotted	115	50	885115120	885115100	88511580	88511560	88511550	88511540	88511536	88511524	88511520
	125	50	885125120	885125100	88512580	88512560	88512550	88512540	88512536	88512524	88512520
	150	50	885150120	885150100	88515080	88515060	88515050	88515040	88515036	88515024	88515020
	180	50	885180120	885180100	88518080	88518060	88518050	88518040	88518036	88518024	88518020

Fiber discs



XF870



Base Vulcanfiber 0,8 mm
Material Ceramic + TOP SIZE
Grain size P 24 – P 120
Surface Alloy steel, stainless steel, steel, aluminum and non-ferrous metals



Type	Dia. mm	Pcs	P120	P100	P80	P60	P50	P40	P36	P24
4 Slotted	115	50	870115120	870115100	87011580	87011560	87011550	87011540	87011536	87011524
	125	50	870125120	870125100	87012580	87012560	87012550	87012540	87012536	87012524
	150	50	870150120	870150100	87015080	87015060	87015050	87015040	87015036	87015024
	180	50	870180120	870180100	87018080	87018060	87018050	87018040	87018036	87018024




CR999



Base Vulcanfiber 0,8 mm
Material Ceramic + TOP SIZE
Grain size P 36 – P 120
Surface Alloy steel, stainless steel, steel, aluminum and non-ferrous metals



Type	Dia. mm	Pcs	P120	P100	P80	P60	P50	P40	P36
4 Slotted	115	50	999115120	999115100	99911580	99911560	99911550	99911540	99911536
	125	50	999125120	999125100	99912580	99912560	99912550	99912540	99912536
	150	50	999150120	999150100	99915080	99915060	99915050	99915040	99915036
	180	50	999180120	999180100	99918080	99918060	99918050	99918040	99918036



XF733



Base Vulcanfiber 0,8 mm
Material Ceramic + Stearate
Grain size P 24 – P 80
Surface Steel, aluminum and non-ferrous metals




Type	Dia. mm	Pcs	P120	P100	P80	P60	P50	P40	P36	P24
4 Slotted	115	50			73311580	73311560			73311536	73311524
	125	50			73312580	73312560			73312536	73312524
	150	50			73315080	73315060			73315036	73315024
	180	50			73318080	73318060			73318036	73318024

Fiber discs



ZF713



Base Vulcanfiber 0,8 mm
Material Zirconia
Grain size P 24 – P 120
Surface Steel, stainless steel



Type	Dia. mm	Pcs	P120	P100	P80	P60	P50	P40	P36	P24
4 Slotted	115	50	713115120	713115100	71311580	71311560	71311550	71311540	71311536	71311524
	125	50	713125120	713125100	71312580	71312560	71312550	71312540	71312536	71312524
	150	50	713150120	713150100	71315080	71315060	71315050	71315040	71315036	71315024
	180	50	713180120	713180100	71318080	71318060	71318050	71318040	71318036	71318024



KF708



Base Vulcanfiber 0,8 mm
Material Alox
Grain size P 16 – P 120
Surface Steel, stainless steel, alloy steel, aluminum and non-ferrous metals



Type	Dia. mm	Pcs	P120	P100	P80	P60	P50	P40	P36	P24	P16
4 Slotted	115	50	708115120	708115100	70811580	70811560	70811550	70811540	70811536	70811524	70811516
	125	50	708125120	708125100	70812580	70812560	70812550	70812540	70812536	70812524	70812516
	150	50	708150120	708150100	70815080	70815060	70815050	70815040	70815036	70815024	70815016
	180	50	708180120	708180100	70818080	70818060	70818050	70818040	70818036	70818024	70818016



KF808



Base Vulcanfiber 0,8 mm
Material Alox + TOP SIZE
Grain size P 36 – P 220
Surface Steel, stainless steel, alloy steel, aluminum and non-ferrous metals



Type	Dia. mm	Pcs	P220	P180	P150	P120	P100	P80	P60	P50	P36
4 Slotted	115	50	808115220	808115180	808115150	808115120	808115100	80811580	80811560	80811550	80811536
	125	50	808125220	808125180	808125150	808125120	808125100	80812580	80812560	80812550	80812536
	150	50	-	-	-	-	-	-	-	-	-
	180	50	808180220	808180180	808180150	808180120	808180100	80818080	80818060	80818050	80818036